



WELCOME TO GOOSE FOOT

The most durable street furniture isn't always the most stylish. And the most stylish street furniture isn't always the most practical. And when the two – just occasionally – do come together, there's usually a price to pay.



But not any more.

Say hello to Goose Foot...a brand new range of high quality street furniture designed to give outstanding performance, built with inherently recyclable materials, produced with a real sense of style and flair, and priced to make it a serious competitor to the standard options available today.


And while the name may be new to you, the people behind it are far from strangers to the business. Goose Foot is a coming together of the celebrated design skills and ingenuity of Ollerton Engineering Services, and the 21st Century manufacturing pedigree of the WEC Group.



Magellan Stainless Steel Seat



SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION



SPIGOT MOUNTED TYPE
TYPICAL ELEVATION
WITH ARMREST

TECHNICAL DATA

With a satin polished stainless steel frame and slats, Magellan combines graceful curves and contours with impressive strength and all-weather durability in a seat designed for comfort, style...and outstanding performance.

Magellan is shown fitted with optional arms styled after Lalique's Spirit of the Wind.

Size Options

1800mm standard length

GF5001

Variations

N.A.

Leg Mounting Options

Surface	-01
Spigot	-02
Sub-surface	-03

Other Options

Arm rests	GF503
Memorial plaques	GF510
Seat end logos	GF511



Magellan Timber Slatted Seat



TECHNICAL DATA

With a satin polished stainless steel frame and hardwood slats from renewable sources, Magellan combines graceful curves and contours with impressive strength and all-weather durability in a seat designed for comfort, style...and outstanding performance.

Magellan is also available fitted with arms styled after Lalique's Spirit of the Wind

Size Options

1800mm standard length

GF5003

Variations



N/A

Leg Mounting Options

Surface	-01
Spigot	-02
Sub-Surface	-03

Other Options

Arm rests	GF504
Memorial plaques	GF510
Seat end logos	GF511





SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION


SPIGOT MOUNTED TYPE
TYPICAL ELEVATION
WITH ARMREST



Lander Stainless Steel Seat



SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION
WITH FLORENTINE ARM



SPIGOT MOUNTED TYPE
TYPICAL ELEVATION
WITH MANNHEIM ARM

TECHNICAL DATA

With its satin polished stainless steel construction, the striking angular profile of Lander makes an impressive statement...yet still manages to look – and feel – welcoming and comfortable. And it takes on an even more inviting appeal with the addition of the optional Mannheim or Florentine-styled arm.

Size Options

1810mm standard length (*as shown*)

GF5101

2010mm standard length

GF5111

Other lengths to special order

Variations

N/A

Leg Mounting Options



Surface	-01
Spigot	-02
Sub-Surface	-03

Other Options


Arm rests - Mannheim Style	GF501
- Florentine Style	GF502
Memorial plaques	GF510
Seat end logos	GF511



Lander Mild Steel Seat



SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION
WITH MANNHEIM ARM



SPIGOT MOUNTED TYPE
TYPICAL ELEVATION

TECHNICAL DATA

With its hot-dip galvanised, colour-coated mild steel construction, the striking angular profile of Lander makes an impressive statement...yet still manages to look – and feel – welcoming and comfortable. And it takes on an even more inviting appeal with the addition of the optional Mannheim or Florentine-styled arm.

Size Options

1810mm standard length (*as shown*)

GF5100

2010mm standard length

GF5110

Other lengths to special order

Variations

A choice of colours from our Standard Range

Leg Mounting Options


Surface	-01
Spigot	-02
Sub-Surface	-03

Other Options

Arm rests - Mannheim Style (<i>see right photo</i>)	GF501
- Florentine Style (<i>see left photo</i>)	GF502
Memorial plaques	GF510
Seat end logos	GF511



Tula Mild Steel Seat



TECHNICAL DATA

Inspired by the strength and rigidity of 21st century airframe construction, the hot-dip galvanised, colour-coated mild steel Tula seat is engineered to combine rugged all-weather performance with an ergonomic profile that provides excellent support.

The Tula seat can also be fitted with the precision sculpted Florentine or Mannheim-styled arm.

Size Options

1810mm standard length (<i>as shown</i>)	GF5200
2010mm standard length	GF5210
Other lengths to special order	

Variations

A choice of colours from our Standard Range	
Manufactured in satin polished stainless steel	GF5201

Leg Mounting Options


Surface	-01
Spigot	-02
Sub-Surface	-03

Other Options


Arm rests - Mannheim Style (<i>see right photo</i>)	GF501
- Florentine Style (<i>see left photo</i>)	GF502
Memorial plaques	GF510
Seat end logos	GF511




Tula Mild Steel Bench



PLAN VIEW



FRONT VIEW

SPIGOT MOUNTED TYPE
TYPICAL ELEVATION

TECHNICAL DATA

Inspired by the strength and rigidity of 21st century airframe construction, the hot-dip galvanised, colour-coated mild steel Tula bench is engineered to combine rugged all-weather performance with a distinctive and contemporary profile.

Size Options

1810mm standard length x 450mm wide	GF5204/450
2010mm standard length x 450mm wide	GF5214/450
1810mm standard length x 525mm wide	GF5204/525
2010mm standard length x 525mm wide	GF5214/525

Variations

A choice of colours from our standard range

Leg Mounting Options

Surface	-01
Spigot	-02
Sub-Surface	-03



Other Options

Seat end logos

GF511



Embden Seat



SUB-SURFACE MOUNTED TYPE
TYPICAL ELEVATION
WITH MANNHEIM ARM

SPIGOT MOUNTED TYPE
TYPICAL ELEVATION

TECHNICAL DATA

Designed in the spirit of form follows function, the Embden seat is constructed in tough, hot-dip galvanised, colour-coated mild steel and shaped along clean, simple lines to deliver a no fuss, no frills, smart seating solution.

The Embden seat can also be fitted with the Mannheim-styled arm.

Size Options

1800mm standard length

GF5300

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface	-01
Spigot	-02
Sub-Surface	-03

Other Options


Arm rests - Mannheim Style (<i>see right photo</i>)	GF501
Memorial plaques	GF510
Seat end logos	GF511




Embden Bench



PLAN VIEW



FRONT VIEW

SPIGOT MOUNTED TYPE
TYPICAL ELEVATION

TECHNICAL DATA

Designed in the spirit of form follows function, the Embden bench is constructed in tough, hot-dip galvanised, colour-coated mild steel and shaped along clean, simple lines to deliver a smart solution.

Size Options

1800mm standard length

GF5304

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface	-01
Spigot	-02
Sub-Surface	-03



Other Options

Seat end logos

GF511



Brecon Seat



TECHNICAL DATA

With more than a nod to bygone days, Brecon recreates a design classic that has graced parks, gardens and public spaces for generations.

With colour-coated cast supports and heavy hardwood slats from renewable sources, this latest version promises to be every bit as durable.

Size Options

1800mm standard length (as shown)	GF5408
2000mm standard length	GF5418

Variations

A choice of colours from our Standard Range

Leg Mounting Options


Surface	-01
---------	-----

Other Options

Memorial Plaques	GF510
------------------	-------



Dome-Top Mild Steel Bollard



TECHNICAL DATA

With only the slightest hint of a curve, this dome-topped bollard gives the impression of a flat-topped design, but easily 'channels' rainwater away. The heavy wall construction and sheradised, colour-coated finish add further to its durability.

Size Options

1000mm standard height above ground level

Alternative lengths to special order

GF1002

Variations

A choice of colours from our Standard Range

Mounting Options

Surface

-01

Spigot

-02

Other Options

Reflective Tape

GF101

Chain Eyes

GF105



Slant-Top Mild Steel Bollard



TECHNICAL DATA

This slant-top bollard features a heavy wall construction and sheradised, colour-coated finish for exceptional durability, and a profile designed to make sure that rain, snow, and any occasional visitors don't stay in contact for long!

Size Options

1000mm standard height above ground level

GF1004

Alternative lengths to special order

Variations


A choice of colours from our Standard Range

Mounting Options

Surface	-01
Spigot	-02

Other Options

Reflective Tape	GF101
Chain Eyes	GF105



Dome-Top Stainless Steel Bollard



TECHNICAL DATA

With a stunning satin polished stainless steel finish, a heavy 6mm wall construction, and a gently domed top, this bollard is built to perform superbly and still look like new for many years to come.

Size Options

900mm standard height above ground level
Alternative lengths to special order

GF1000

Variations

N/A

Mounting Options

Surface

-01

Spigot

-02


Other Options

Reflective Tape

GF101

Chain Eyes

GF105



Slant-Top Stainless Steel Bollard



TECHNICAL DATA

The precise 45° slanted top, the heavy 6mm wall construction, and the satin polished stainless steel finish all add up to a piece of street furniture that combines elegance with outstanding strength and durability.

Size Options

900mm standard height above ground level
Alternative lengths to special order

GF1005

Variations

Manufactured with a reduced wall thickness

GF1008

Mounting Options

Surface

-01

Spigot

-02


Other Options

Reflective Tape

GF101

Chain Eyes

GF105




Hydrant Bollard



TECHNICAL DATA

With a discreet and lockable lift-out door, the Hydrant Bollard conceals an insulated stop-tap arrangement, and features a $\frac{3}{4}$ " BSP tap and hose connection that allows a water supply, wherever and whenever it's needed...without ever drawing attention to itself. The hot-dip galvanised, colour-coated, heavy wall mild steel construction makes it tough and durable too.



Size Options

900mm standard height above ground level

GF1003

Variations

A choice of colours from our Standard Range

Mounting Options

Spigot

-02

Other Options

N.A.



Waymarker Bollard



TECHNICAL DATA

Sculpted to make a 150mm square highly visible, the Waymarker can be adapted to carry important graphics, directions and information.

Constructed from mild steel and hot-dip galvanised for exceptional durability, colour coatings can be used to make it as discreet or as 'noticeable' as required.

Size Options

900mm standard height above ground level

GF1106

Variations

A choice of colours from our Standard Range
Alternative lengths to special order

Mounting Options

Spigot

-02

Other Options

Left hand arrow - (see right photo)

GF106


Right hand arrow - (see data sheet)

GF107

Straight ahead arrow

GF108

Other symbols to special order



Sheffield Cycle Stand (mild steel)



TECHNICAL DATA

Simple, neat and unobtrusive, this safety cycle stand has been styled to blend in with any surroundings. With a hot-dip galvanised, colour-coated mild steel construction, strength and durability are in-built and the design may be adapted to suit ordinary cycles with wheels of any diameter.

Size Options

Standard height above ground - 750mm

Standard leg centres - 750mm

GF2000

Variations

A choice of colours from our Standard Range

Leg Mounting Options

Surface

-01


Spigot

-02

Other Options

Tapping Bar

GF201



Sheffield Cycle Stand (stainless steel)



TECHNICAL DATA

Simple, neat and unobtrusive, this safety cycle stand has been styled to blend in with any surroundings. With a satin polished stainless steel construction, strength and durability are in-built and the design may be adapted to suit ordinary cycles with wheels of any diameter.

Size Options

Standard height above ground - 750mm

Standard leg centres - 750mm

GF2001

Variations

N/A

Leg Mounting Options

Surface

-01


Spigot

-02

Other Options

Tapping Bar


























GF201



Colour Options



The Goose Foot range is available in the following standard colours.

Yellow	RAL 1023		Grey	BS 00 A 05	
Orange	RAL 2000			RAL 7012	
				RAL 7021	
Red	RAL 3000		Brown	BS 08 B 29	
	RAL 3002		Black	RAL 9005	
	RAL 3004		Silver	RAL 9006	
	RAL 3005			RAL 9007	
	RAL 3020		White	RAL 9010	
Blue	RAL 5002			RAL 9016	
	RAL 5010				
	RAL 5013				
	RAL 5015				
Green	RAL 6002				
	RAL 6005				
	RAL 6009				
	RAL 6025				
	RAL 6028				

*Listed colours may vary from those shown.
When specifying a colour please refer
to a RAL specification chart.*

*N.B. Goose Foot Street Furniture reserves
the right to alter product specifications
without notice.*





Goose Foot Street Furniture
Britannia House, Junction Street
Darwen, Lancashire BB3 2RB

TEL +44 (0)1254 700213
EMAIL info@goosefootuk.com
www.goosefootuk.com